

Light Load Tactical – Reserve Parachutes


(PRECISION-LLT-R)

RECTANGLE



PRECISION
aerodynamics

**PRECISION-LLT-RESERVE
CANOPIES 7 CELL RECTANGLE**

				RESERVE CANOPY SPECIFICATIONS				
LINE	FABRIC			SPAN	CHORD	ASPECT	LOAD	WMAX
		PART NUMBER	MODEL	feet	feet	:1	lbs./ ft^2	lbs./ kgs
SPECTRA	F-111	PRECISION-LLT-R7-220	R7-220	23.18	9.68	2.345	1.19	262/ 119
		PRECISION-LLT-R7-240	R7-240	24.21	10.33	2.345	1.18	283/ 129
		PRECISION-LLT-R7-260	R7-260	25.2	10.75	2.345	1.17	304/ 138
		PRECISION-LLT-R7-280	R7-280	26.15	11.15	2.345	1.16	325/ 148
		PRECISION-LLT-R7-300	R7-300	27.07	11.54	2.345	1.15	345/ 156
		PRECISION-LLT-R7-320	R7-320	27.96	11.92	2.345	1.14	365/ 166
		PRECISION-LLT-R7-340	R7-340	28.82	12.29	2.345	1.13	384/ 174
		PRECISION-LLT-R7-360	R7-360	29.65	12.65	2.345	1.12	403/ 183
		PRECISION-LLT-R7-380	R7-380	30.47	12.99	2.345	1.11	422/ 191

LLT-RESERVE CANOPIES 9

CELL RECTANGLE

		PRECISION <i>aerodynamics</i>		RESERVE CANOPY SPECIFICATIONS				
LINE	FABRIC	PART NUMBER	MODEL	SPAN feet	CHORD feet	ASPECT :1	LOAD lbs./ ft^2	WMAX lbs./ kgs
SPECTRA	F-111	PRECISION-LLT-R9-220	R9-220	25.69	8.56	3	1.42	312/ 142
		PRECISION-LLT-R9-240	R9-240	26.83	8.94	3	1.418	340/ 154
		PRECISION-LLT-R9-260	R9-260	27.93	9.31	3	1.416	368/ 167
		PRECISION-LLT-R9-280	R9-280	28.98	9.66	3	1.414	396/ 180
		PRECISION-LLT-R9-300	R9-300	30	10	3	1.412	424/ 192
		PRECISION-LLT-R9-320	R9-320	30.98	10.33	3	1.41	451/ 205
		PRECISION-LLT-R9-340	R9-340	31.94	10.65	3	1.408	479/ 217
		PRECISION-LLT-R9-360	R9-360	32.86	10.95	3	1.406	506/ 230
		PRECISION-LLT-R9-380	R9-380	33.76	11.25	3	1.404	534/ 242
		PRECISION-LLT-R9-400	R9-400	34.64	11.55	3	1.402	561/ 254
		PRECISION-LLT-R9-420	R9-420	35.5	11.83	3	1.4	588/ 267